PAIN

Pain 108 (2004) 300–302

www.elsevier.com/locate/pain

Author Index to Volume 108 (2004)

Albin, R., see Carr, D.B., **108** 17
Albrecht, S., see Koppert, W., **108** 148
Alchaar, H., see Bouhassira, D., **108** 248
Apkarian, A.V., Sosa, Y., Krauss, B.R., Thomas, P.S., Fredrickson, B.E., Levy, R.E., Harden, R.N., Chialvo, D.R., Chronic pain patients are impaired on an emotional decision-making task, **108** 129
Asghari, A., Nicholas, M.K., Pain during mammography: the role of coping strategies, **108** 170
Ashina, S., Bendtsen, L., Jensen, R., Analgesic effect of amitriptyline in chronic tension-type headache is not directly related to serotonin reuptake inhibition, **108** 108
Attal, N., see Bouhassira, D., **108** 248
Attal, N., see Gremeau-Richard, C., **108** 51

Baron, R., see Jänig, W., **108** 3
Barrientos, R.M., see Chacur, M., **108** 180
Bell, R.F., Kalso E., Is intranasal ketamine an appropriate treatment for chronic non-cancer breakthrough pain?, **108** 1
Bender, S., see Oelkers-Ax, R., **108** 267
Bendtsen, L., see Ashina, S., **108** 108
Bergman, S., Jacobsson, L.T.H., Herrström, P., Petersson, I.F., Health status as measured by SF-36 reflects changes and predicts outcome in chronic musculoskeletal pain: a 3-year follow up study in the general population, **108** 115
Black, J.A., Liu, S., Tanaka, M., Cummins, T.R., Waxman, S.G., Changes in the expression of tetrodotoxin-sensitive sodium channels within dorsal root ganglia neurons in inflammatory pain, **108** 237
Blouin, J.-S., see Corbeil, P., **108** 43
Blunt, C., Schmiedel, A., Some cases of severe post-mastectomy pain syndrome may be caused by an axillary haematoma, **108** 294
Boersma, K., Linton, S., Overmeer, T., Jansson, M., Vlaeyen, J., de Jong, J., Lowering fear-avoidance and enhancing function through exposure in vivo A multiple baseline study across six patients with back pain, **108** 8
Bonicalzi, V., Canavero, S., Motor cortex stimulation for central and neuropathic pain (Letter regarding Topical Review by Brown and Barbaro), **108** 199
Bouhassira, D., see Gremeau-Richard, C., **108** 51
Bouhassira, D., Attal, N., Fermanian, J., Alchaar, H., Gautron, M., Masquelier, E., Rostaing, S., Lanteri-Minet, M., Collin, E., Grisart, J., Boureau, F.,, Development and validation of the Neuropathic Pain Symptom Inventory, **108** 248
Boureau, F., see Bouhassira, D., **108** 248
Boyd, E.A., see Guo, T.-Z., **108** 95
Brabant, S., see Van Zundert, J., **108** 298
Brack, A., Rittner, H.L., Machelska, H., Shaqura, M., Mousa, S.A., Labuz, D., Zöllner, C., Schäfer, M., Stein, C., Endogenous peripheral antinociception in early inflammation is not limited by the number of opioid-containing leukocytes but by opioid receptor expression, **108** 67
Brennen, L., see Carr, D.B., **108** 17
Brookoff, D., see Carr, D.B., **108** 17
Brown, J., Reply to Bonicalzi and Canavero's Letter, **108** 200
Bruce, J., Smith, W.C., Chambers, W.A., Response to letter by Devor, **108** 202
Bushnell, M.C., see Frot, M., **108** 230

doi:10.1016/S0304-3959(04)00112-5

Canavero, S., see Bonicalzi, V., **108** 199
Carmeli, E., see Defrin, R., **108** 58
Carr, D.B., Goudas, L.C., Denman, W.T., Brookoff, D., Staats, P.S., Brennen, L., Green, G., Albin, R., Hamilton, D., Rogers, M.C., Firestone, L., Lavin, P.T., Mermelstein, F., Safety and efficacy of intranasal ketamine for the treatment of breakthrough pain in patients with chronic pain: a randomized, double-blind, placebo-controlled, crossover study, **108** 17
Casey, K.L., Central pain: distributed effects of focal lesions See related article, by Willoch et al., in this issue, **108** 205
Chacur, M., Milligan, E.D., Sloan, E.M., Wieseler-Frank, J., Barrientos, R.M., Martin, D., Poole, S., Lomonte, B., Gutiérrez, J.M., Maier, S.F., Cury, Y., Watkins, L.R., Snake venom phospholipase A2s (Asp49 and Lys49) induce mechanical allodynia upon peri-sciatic administration: involvement of spinal cord glia, proinflammatory cytokines and nitric oxide, **108** 180
Chambers, W.A., see Bruce, J., **108** 202
Chialvo, D.R., see Apkarian, A.V., **108** 129
Clinch, J., see Eccleston, C., **108** 221
Collin, E., see Bouhassira, D., **108** 248
Connell, H., see Eccleston, C., **108** 221
Conrad, B., see Willoch, F., **108** 213
Corbeil, P., Blouin, J.-S., Teasdale, N., Effects of intensity and locus of painful stimulation on postural stability, **108** 43
Crombez, G., see Eccleston, C., **108** 221
Cummins, T.R., see Black, J.A., **108** 237
Cury, Y., see Chacur, M., **108** 180

Dai, Y., Fukuoka, T., Wang, H., Yamanaka, H., Obata, K., Tokunaga, A., Noguchi, K., Contribution of sensitized P2X receptors in inflamed tissue to the mechanical hypersensitivity revealed by phosphorylated ERK in DRG neurons, **108** 258
de Jong, J., see Boersma, K., **108** 8
Defrin, R., Pick, C.G., Peretz, C., Carmeli, E., A quantitative somatosensory testing of pain threshold in individuals with mental retardation, **108** 58
Denman, W.T., see Carr, D.B., **108** 17
Devor, M., Evidence for heritability of pain in patients with traumatic neuropathy, **108** 200
Deyo, R.A., see Turner, J.A., **108** 137
Dickenson, A.H., see Seagrove, L.C., **108** 76

Eccleston, C., Crombez, G., Scotford, A., Clinch, J., Connell, H., Adolescent chronic pain: patterns and predictors of emotional distress in adolescents with chronic pain and their parents, **108** 221
Ekholm, O., see Eriksen, J., **108** 154
Ellrich, J., see Giffin, N.J., **108** 124
Empl, M., see Willoch, F., **108** 213
Eriksen, J., Ekholm, O., Sjøgren, P., Rasmussen, N.K., Development of and recovery from long-term pain. A 6-year follow-up study of a cross-section of the adult Danish population, **108** 154

Feine, J.S., see Frot, M., **108** 230
Fermanian, J., see Bouhassira, D., **108** 248

Firestone, L., see Carr, D.B., **108** 17
Fisher, B.J., see Heinberg, L.J., **108** 88
Fredrickson, B.E., see Apkarian, A.V., **108** 129
Frot, M., Feine, J.S., Bushnell, M.C., Sex differences in pain perception and anxiety. A psychophysical study with topical capsaicin, **108** 230
Fukuoka, T., see Dai, Y., **108** 258

Gagnieu, M.C., see Gremeau-Richard, C., **108** 51
Gautron, M., see Bouhassira, D., **108** 248
Giffin, N.J., Katsarava, Z., Pfundstein, A., Ellrich, J., Kaube, H., The effect of multiple stimuli on the modulation of the 'nociceptive' blink reflex, **108** 124
Goto, F., see Obata, H., **108** 163
Goudas, L.C., see Carr, D.B., **108** 17
Green, G., see Carr, D.B., **108** 17
Gremeau-Richard, C., Woda, A., Navez, M.L., Attal, N., Bouhassira, D., Gagnieu, M.C., Laluque, J.F., Picard, P., Pionchon, P., Tubert, S., Topical clonazepam in stomatodynia: a randomised placebo-controlled study, **108** 51
Grisart, J., see Bouhassira, D., **108** 248
Guo, T.-Z., Offley, S.C., Boyd, E.A., Jacobs, C.R., Kingery, W.S., Substance P signaling contributes to the vascular and nociceptive abnormalities observed in a tibial fracture rat model of complex regional pain syndrome type I, **108** 95
Gutiérrez, J.M., see Chacur, M., **108** 180

Hamilton, D., see Carr, D.B., **108** 17
Hankins, M., see Hobro, N., **108** 276
Harden, R.N., see Apkarian, A.V., **108** 129
Haythornthwaite, J.A., see Heinberg, L.J., **108** 88
Heinberg, L.J., Fisher, B.J., Wesselmann, U., Reed, J., Haythornthwaite, J.A., Psychological factors in pelvic/urogenital pain: the influence of site of pain versus sex, **108** 88
Herrström, P., see Bergman, S., **108** 115
Hobro, N., Weinman, J., Hankins, M., Using the self-regulatory model to cluster chronic pain patients: the first step towards identifying relevant treatments?, **108** 276

Jacobs, C.R., see Guo, T.-Z., **108** 95
Jacobsson, L.T.H., see Bergman, S., **108** 115
Jänig, W., Baron, R., Experimental approach to CRPS, **108** 3
Jansson, M., see Boersma, K., **108** 8
Jensen, R., see Ashina, S., **108** 108
Jensen, T.S., see Kupers, R.C., **108** 284
Jia, H., Xie, Y.-F., Xiao, D.-Q., Tang, J.-S., Involvement of GABAergic modulation of the nucleus submedius (Sm) morphine-induced antinociception, **108** 28
Just, U., see Oelkers-Ax, R., **108** 267

Kalso, E., see Bell, R.F., **108** 1
Katsarava, Z., see Giffin, N.J., **108** 124
Kaube, H., see Giffin, N.J., **108** 124
Kingery, W.S., see Guo, T.-Z., **108** 95
Köke, A.J.A., Schouten, J.S.A.G., Lamerichs-Geelen, M.J.H., Lipsch, J.S.M., Waltje, E.M.H., van Kleef, M., Patijn, J., Pain reducing effect of three types of transcutaneous electrical nerve stimulation in patients with chronic pain: a randomized crossover trial, **108** 36
Koppert, W., Wehrfritz, A., Körber, N., Sittl, R., Albrecht, S., Schüttler, J., Schmelz, M., The cyclooxygenase isozyme inhibitors parecoxib and paracetamol reduce central hyperalgesia in humans, **108** 148
Körber, N., see Koppert, W., **108** 148
Krauss, B.R., see Apkarian, A.V., **108** 129
Kupers, R.C., Svensson, P., Jensen, T.S., Central representation of muscle pain and mechanical hyperesthesia in the orofacial region: a positron emission tomography study, **108** 284

Labuz, D., see Brack, A., **108** 67
Laluque, J.F., see Gremeau-Richard, C., **108** 51
Lamerichs-Geelen, M.J.H., see Köke, A.J.A., **108** 36
Lanteri-Minet, M., see Bouhassira, D., **108** 248
Lavin, P.T., see Carr, D.B., **108** 17
Levy, R.E., see Apkarian, A.V., **108** 129
Linton, S., see Boersma, K., **108** 8
Lipsch, J.S.M., see Köke, A.J.A., **108** 36
Liu, S., see Black, J.A., **108** 237
Loeser, J.D., see Turner, J.A., **108** 137
Lomonte, B., see Chacur, M., **108** 180

Machelska, H., see Brack, A., **108** 67
Maier, S.F., see Chacur, M., **108** 180
Martin, D., see Chacur, M., **108** 180
Masquelier, E., see Bouhassira, D., **108** 248
Mermelstein, F., see Carr, D.B., **108** 17
Milligan, E.D., see Chacur, M., **108** 180
Moseley, G.L., Graded motor imagery is effective for long-standing complex regional pain syndrome: a randomised controlled trial, **108** 192
Mousa, S.A., see Brack, A., **108** 67

Navez, M.L., see Gremeau-Richard, C., **108** 51
Nicholas, M.K., see Asghari, A., **108** 170
Noguchi, K., see Dai, Y., **108** 258

Obata, H., Saito, S., Sakurazawa, S., Sasaki, M., Usui, T., Goto, F., Antiallodynic effects of intrathecally administered 5-HT_{2C} receptor agonists in rats with nerve injury, **108** 163
Obata, K., see Dai, Y., **108** 258
Oelkers-Ax, R., Bender, S., Just, U., Pfüller, U., Parzer, P., Resch, F., Weisbrod, M., Pattern-reversal visual-evoked potentials in children with migraine and other primary headache: evidence for maturation disorder?, **108** 267
Offley, S.C., see Guo, T.-Z., **108** 95
Orlandini, G., Pulsed percutaneous radiofrequency treatment of the Gasserian ganglion for therapy of trigeminal neuralgia: technical notes, validity of the method and selection of the patients, **108** 297
Overmeer, T., see Boersma, K., **108** 8

Parzer, P., see Oelkers-Ax, R., **108** 267
Patijn, J., see Köke, A.J.A., **108** 36
Peretz, C., see Defrin, R., **108** 58
Petersson, I.F., see Bergman, S., **108** 115
Pfüller, U., see Oelkers-Ax, R., **108** 267
Pfundstein, A., see Giffin, N.J., **108** 124
Picard, P., see Gremeau-Richard, C., **108** 51
Pick, C.G., see Defrin, R., **108** 58
Pionchon, P., see Gremeau-Richard, C., **108** 51
Poole, S., see Chacur, M., **108** 180

Rasmussen, N.K., see Eriksen, J., **108** 154
Reed, J., see Heinberg, L.J., **108** 88
Resch, F., see Oelkers-Ax, R., **108** 267
Rittner, H.L., see Brack, A., **108** 67
Rogers, M.C., see Carr, D.B., **108** 17
Rostaing, S., see Bouhassira, D., **108** 248

Saito, S., see Obata, H., **108** 163
Sakurazawa, S., see Obata, H., **108** 163
Sanders, S.B., see Turner, J.A., **108** 137
Sasaki, M., see Obata, H., **108** 163
Schäfer, M., see Brack, A., **108** 67
Schüttler, J., see Koppert, W., **108** 148
Schindler, F., see Willoch, F., **108** 213
Schmelz, M., see Koppert, W., **108** 148
Schmiedel, A., see Blunt, C., **108** 294

Schott, G.D., Communicating the experience of pain: the role of analogy, **108** 209
Schouten, J.S.A.G., see Köke, A.J.A., **108** 36
Schwaiger, M., see Willoch, F., **108** 213
Scotford, A., see Eccleston, C., **108** 221
Seagrove, L.C., Suzuki, R., Dickenson, A.H., Electrophysiological characterisations of rat lamina I dorsal horn neurones and the involvement of excitatory amino acid receptors, **108** 76
Shaqura, M., see Brack, A., **108** 67
Sittl, R., see Koppert, W., **108** 148
Sjøgren, P., see Eriksen, J., **108** 154
Sloan, E.M., see Chacur, M., **108** 180
Smith, W.C., see Bruce, J., **108** 202
Sosa, Y., see Apkarian, A.V., **108** 129
Staats, P.S., see Carr, D.B., **108** 17
Stein, C., see Brack, A., **108** 67
Straube, A., see Willoch, F., **108** 213
Suzuki, R., see Seagrove, L.C., **108** 76
Svensson, P., see Kupers, R.C., **108** 284

Tanaka, M., see Black, J.A., **108** 237
Tang, J.-S., see Jia, H., **108** 28
Teasdale, N., see Corbeil, P., **108** 43
Thomas, P.S., see Apkarian, A.V., **108** 129
Tokunaga, A., see Dai, Y., **108** 258
Tölle, T.R., see Willoch, F., **108** 213
Tubert, S., see Gremeau-Richard, C., **108** 51
Turner, J.A., Loeser, J.D., Deyo, R.A., Sanders, S.B., Spinal cord stimulation for patients with failed back surgery syndrome or complex regional pain syndrome: a systematic review of effectiveness and complications, **108** 137

Usui, T., see Obata, H., **108** 163

Van Buyten, J.-P., see Van Zundert, J., **108** 298
Van de Kelft, E., see Van Zundert, J., **108** 298
van Kleef, M., see Köke, A.J.A., **108** 36
Van Zundert, J., Brabant, S., Van de Kelft, E., Vercruyssen, A., Van Buyten, J.-P., Response to Orlandini's letter to the editor, regarding pulsed radio frequency treatment of the Gasserian ganglion, **108** 298
Vercruyssen, A., see Van Zundert, J., **108** 298
Vlaeyen, J., see Boersma, K., **108** 8

Walco, G.A., Toward an integrated model of pain over the life course, **108** 207
Waltje, E.M.H., see Köke, A.J.A., **108** 36
Wang, H., see Dai, Y., **108** 258
Watkins, L.R., see Chacur, M., **108** 180
Waxman, S.G., see Black, J.A., **108** 237
Wehrfritz, A., see Koppert, W., **108** 148
Weinman, J., see Hobro, N., **108** 276
Weisbrod, M., see Oelkers-Ax, R., **108** 267
Wesselmann, U., see Heinberg, L.J., **108** 88
Wester, H.J., see Willoch, F., **108** 213
Wieseler-Frank, J., see Chacur, M., **108** 180
Willoch, F., Schindler, F., Wester, H.J., Empl, M., Straube, A., Schwaiger, M., Conrad, B., Tölle, T.R., Central poststroke pain and reduced opioid receptor binding within pain processing circuitries: a [^{11}C]diprenorphine PET study, **108** 213
Woda, A., see Gremeau-Richard, C., **108** 51

Xiao, D.-Q., see Jia, H., **108** 28
Xie, Y.-F., see Jia, H., **108** 28

Yamanaka, H., see Dai, Y., **108** 258

Zöllner, C., see Brack, A., **108** 67

Pain 108 (2004) 303–307

PAIN

www.elsevier.com/locate/pain

Subject Index Volume 108 (2004)

Adolescence
Adolescent chronic pain: patterns and predictors of emotional distress in adolescents with chronic pain and their parents, **108**, 221

Allodynia
Antiallodynic effects of intrathecally administered 5-HT_{2C} receptor agonists in rats with nerve injury, **108**, 163

Allodynia
Snake venom phospholipase A2s (Asp49 and Lys49) induce mechanical allodynia upon peri-sciatic administration: involvement of spinal cord glia, proinflammatory cytokines and nitric oxide, **108**, 180

Amitriptyline
Analgesic effect of amitriptyline in chronic tension-type headache is not directly related to serotonin reuptake inhibition, **108**, 108

Antidepressant
Analgesic effect of amitriptyline in chronic tension-type headache is not directly related to serotonin reuptake inhibition, **108**, 108

Antinociception
Involvement of GABAergic modulation of the nucleus submedius (Sm) morphine-induced antinociception, **108**, 28

Anxiety
Adolescent chronic pain: patterns and predictors of emotional distress in adolescents with chronic pain and their parents, **108**, 221

Anxiety
Sex differences in pain perception and anxiety. A psychophysical study with topical capsaicin, **108**, 230

Astrocytes
Snake venom phospholipase A2s (Asp49 and Lys49) induce mechanical allodynia upon peri-sciatic administration: involvement of spinal cord glia, proinflammatory cytokines and nitric oxide, **108**, 180

ATP
Contribution of sensitized P2X receptors in inflamed tissue to the mechanical hypersensitivity revealed by phosphorylated ERK in DRG neurons, **108**, 258

Axillary dissection
Some cases of severe post-mastectomy pain syndrome may be caused by an axillary haematoma, **108**, 294

Back pain
Lowering fear-avoidance and enhancing function through exposure in vivo A multiple baseline study across six patients with back pain, **108**, 8

β-endorphin
Endogenous peripheral antinociception in early inflammation is not limited by the number of opioid-containing leukocytes but by opioid receptor expression, **108**, 67

Bicuculline
Involvement of GABAergic modulation of the nucleus submedius (Sm) morphine-induced antinociception, **108**, 28

Bothrops venom
Snake venom phospholipase A2s (Asp49 and Lys49) induce mechanical allodynia upon peri-sciatic administration: involvement of spinal cord glia, proinflammatory cytokines and nitric oxide, **108**, 180

Brain
Central poststroke pain and reduced opioid receptor binding within pain processing circuitries: a [^{11}C]diprenorphine PET study, **108**, 213

Brain activation
Central representation of muscle pain and mechanical hyperesthesia in the orofacial region: a positron emission tomography study, **108**, 284

Breakthrough
Safety and efficacy of intranasal ketamine for the treatment of breakthrough pain in patients with chronic pain: a randomized, double-blind, placebo-controlled, crossover study, **108**, 17

Breast cancer surgery
Some cases of severe post-mastectomy pain syndrome may be caused by an axillary haematoma, **108**, 294

Burning mouth syndrome
Topical clonazepam in stomatodynia: a randomised placebo-controlled study, **108**, 51

Capsaicin
Sex differences in pain perception and anxiety. A psychophysical study with topical capsaicin, **108**, 230

Carrageenan
Changes in the expression of tetrodotoxin-sensitive sodium channels within dorsal root ganglia neurons in inflammatory pain, **108**, 237

Center of foot pressure
Effects of intensity and locus of painful stimulation on postural stability, **108**, 43

Central sensitization
The cyclooxygenase isozyme inhibitors parecoxib and paracetamol reduce central hyperalgesia in humans, **108**, 148

Chemokine
Endogenous peripheral antinociception in early inflammation is not limited by the number of opioid-containing leukocytes but by opioid receptor expression, **108**, 67

Children
Pattern-reversal visual-evoked potentials in children with migraine and other primary headache: evidence for maturation disorder?, **108**, 267

Chronic
Safety and efficacy of intranasal ketamine for the treatment of breakthrough pain in patients with chronic pain: a randomized, double-blind, placebo-controlled, crossover study, **108**, 17

Chronic pain
Adolescent chronic pain: patterns and predictors of emotional distress in adolescents with chronic pain and their parents, **108**, 221

Chronic pain
Analgesic effect of amitriptyline in chronic tension-type headache is not directly related to serotonin reuptake inhibition, **108**, 108

Chronic pain
Chronic pain patients are impaired on an emotional decision-making task, **108**, 129

Chronic pain
Pain reducing effect of three types of transcutaneous electrical nerve stimulation in patients with chronic pain: a randomized crossover trial, **108**, 36

Chronic pain
Some cases of severe post-mastectomy pain syndrome may be caused by an axillary haematoma, **108**, 294

Chronic pain
Using the self-regulatory model to cluster chronic pain patients: the first step towards identifying relevant treatments?, **108**, 276

doi:10.1016/S0304-3959(04)00113-7

Chronic tension-type headache
Analgesic effect of amitriptyline in chronic tension-type headache is not directly related to serotonin reuptake inhibition, **108**, 108
Citalopram
Analgesic effect of amitriptyline in chronic tension-type headache is not directly related to serotonin reuptake inhibition, **108**, 108
Clonazepam
Topical clonazepam in stomatodynia: a randomised placebo-controlled study, **108**, 51
Cluster analysis
Using the self-regulatory model to cluster chronic pain patients: the first step towards identifying relevant treatments?, **108**, 276
Cognitive behavioral treatment
Lowering fear-avoidance and enhancing function through exposure in vivo A multiple baseline study across six patients with back pain, **108**, 8
Cohort study
Development of and recovery from long-term pain. A 6-year follow-up study of a cross-section of the adult Danish population, **108**, 154
Complex regional pain syndrome
Spinal cord stimulation for patients with failed back surgery syndrome or complex regional pain syndrome: a systematic review of effectiveness and complications, **108**, 137
Complex regional pain syndrome
Substance P signaling contributes to the vascular and nociceptive abnormalities observed in a tibial fracture rat model of complex regional pain syndrome type I, **108**, 95
Coping
Adolescent chronic pain: patterns and predictors of emotional distress in adolescents with chronic pain and their parents, **108**, 221
Coping strategies
Pain during mammography: the role of coping strategies, **108**, 170
Crossover design
Pain reducing effect of three types of transcutaneous electrical nerve stimulation in patients with chronic pain: a randomized crossover trial, **108**, 36
Cyclooxygenase-2
The cyclooxygenase isozyme inhibitors parecoxib and paracetamol reduce central hyperalgesia in humans, **108**, 148
Cyclooxygenase-3
The cyclooxygenase isozyme inhibitors parecoxib and paracetamol reduce central hyperalgesia in humans, **108**, 148
Decision-making task
Chronic pain patients are impaired on an emotional decision-making task, **108**, 129
Depression
Adolescent chronic pain: patterns and predictors of emotional distress in adolescents with chronic pain and their parents, **108**, 221
Depression
Chronic pain patients are impaired on an emotional decision-making task, **108**, 129
Depression
Psychological factors in pelvic/urogenital pain: the influence of site of pain versus sex, **108**, 88
Diffuse nociceptive inhibitory control
The effect of multiple stimuli on the modulation of the 'nociceptive' blink reflex, **108**, 124
Dorsal root ganglia
Changes in the expression of tetrodotoxin-sensitive sodium channels within dorsal root ganglia neurons in inflammatory pain, **108**, 237
Dorsal root ganglion
Contribution of sensitized P2X receptors in inflamed tissue to the mechanical hypersensitivity revealed by phosphorylated ERK in DRG neurons, **108**, 258
Down's syndrome
A quantitative somatosensory testing of pain threshold in individuals with mental retardation, **108**, 58
Edema
Substance P signaling contributes to the vascular and nociceptive abnormalities observed in a tibial fracture rat model of complex regional pain syndrome type I, **108**, 95
Effectiveness
Pain reducing effect of three types of transcutaneous electrical nerve stimulation in patients with chronic pain: a randomized crossover trial, **108**, 36
Electrophysiological recordings
Electrophysiological characterisations of rat lamina I dorsal horn neurones and the involvement of excitatory amino acid receptors, **108**, 76
Evaluation
Development and validation of the Neuropathic Pain Symptom Inventory, **108**, 248
Experimental pain
Effects of intensity and locus of painful stimulation on postural stability, **108**, 43
Extracellular signal-regulated protein kinase
Contribution of sensitized P2X receptors in inflamed tissue to the mechanical hypersensitivity revealed by phosphorylated ERK in DRG neurons, **108**, 258
Failed back surgery syndrome
Spinal cord stimulation for patients with failed back surgery syndrome or complex regional pain syndrome: a systematic review of effectiveness and complications, **108**, 137
Fear-avoidance model
Lowering fear-avoidance and enhancing function through exposure in vivo A multiple baseline study across six patients with back pain, **108**, 8
Fracture
Substance P signaling contributes to the vascular and nociceptive abnormalities observed in a tibial fracture rat model of complex regional pain syndrome type I, **108**, 95
Freund's complete adjuvant
Endogenous peripheral antinociception in early inflammation is not limited by the number of opioid-containing leukocytes but by opioid receptor expression, **108**, 67
Function
Lowering fear-avoidance and enhancing function through exposure in vivo A multiple baseline study across six patients with back pain, **108**, 8
$GABA_A$
Involvement of GABAergic modulation of the nucleus submedius (Sm) morphine-induced antinociception, **108**, 28
Gender
Sex differences in pain perception and anxiety. A psychophysical study with topical capsaicin, **108**, 230
Haematoma
Some cases of severe post-mastectomy pain syndrome may be caused by an axillary haematoma, **108**, 294
Health status
Health status as measured by SF-36 reflects changes and predicts outcome in chronic musculoskeletal pain: a 3-year follow up study in the general population, **108**, 115
Heat-pain threshold
A quantitative somatosensory testing of pain threshold in individuals with mental retardation, **108**, 58
5-HT_{2C} receptor agonists
Antiallodynic effects of intrathecally administered 5-HT_{2C} receptor agonists in rats with nerve injury, **108**, 163

Human
The cyclooxygenase isozyme inhibitors parecoxib and paracetamol reduce central hyperalgesia in humans, **108**, 148
Hyperalgesia
The cyclooxygenase isozyme inhibitors parecoxib and paracetamol reduce central hyperalgesia in humans, **108**, 148
Hyperesthesia
Central representation of muscle pain and mechanical hyperesthesia in the orofacial region: a positron emission tomography study, **108**, 284
Hypertonic saline
Central representation of muscle pain and mechanical hyperesthesia in the orofacial region: a positron emission tomography study, **108**, 284
Illness representations
Using the self-regulatory model to cluster chronic pain patients: the first step towards identifying relevant treatments?, **108**, 276
Imagined movements
Graded motor imagery is effective for long-standing complex regional pain syndrome: a randomised controlled trial, **108**, 192
Imaging
Central poststroke pain and reduced opioid receptor binding within pain processing circuitries: a [^{11}C]diprenorphine PET study, **108**, 213
Inflammatory pain
Changes in the expression of tetrodotoxin-sensitive sodium channels within dorsal root ganglia neurons in inflammatory pain, **108**, 237
Interleukin-1
Snake venom phospholipase A2s (Asp49 and Lys49) induce mechanical allodynia upon peri-sciatic administration: involvement of spinal cord glia, proinflammatory cytokines and nitric oxide, **108**, 180
Interleukin-6
Snake venom phospholipase A2s (Asp49 and Lys49) induce mechanical allodynia upon peri-sciatic administration: involvement of spinal cord glia, proinflammatory cytokines and nitric oxide, **108**, 180
Intranasal
Safety and efficacy of intranasal ketamine for the treatment of breakthrough pain in patients with chronic pain: a randomized, double-blind, placebo-controlled, crossover study, **108**, 17
Intrathecal administration
Antiallodynic effects of intrathecally administered 5-HT$_{2C}$ receptor agonists in rats with nerve injury, **108**, 163
Ketamine
Safety and efficacy of intranasal ketamine for the treatment of breakthrough pain in patients with chronic pain: a randomized, double-blind, placebo-controlled, crossover study, **108**, 17
Lamina I neurones
Electrophysiological characterisations of rat lamina I dorsal horn neurones and the involvement of excitatory amino acid receptors, **108**, 76
Levels
A quantitative somatosensory testing of pain threshold in individuals with mental retardation, **108**, 58
Limits
A quantitative somatosensory testing of pain threshold in individuals with mental retardation, **108**, 58
Longitudinal
Health status as measured by SF-36 reflects changes and predicts outcome in chronic musculoskeletal pain: a 3-year follow up study in the general population, **108**, 115
Mammography pain
Pain during mammography: the role of coping strategies, **108**, 170
Maturation
Pattern-reversal visual-evoked potentials in children with migraine and other primary headache: evidence for maturation disorder?, **108**, 267
Mechanical hyperalgesia
Contribution of sensitized P2X receptors in inflamed tissue to the mechanical hypersensitivity revealed by phosphorylated ERK in DRG neurons, **108**, 258
Mental retardation
A quantitative somatosensory testing of pain threshold in individuals with mental retardation, **108**, 58
Microglia
Snake venom phospholipase A2s (Asp49 and Lys49) induce mechanical allodynia upon peri-sciatic administration: involvement of spinal cord glia, proinflammatory cytokines and nitric oxide, **108**, 180
Migraine
Pattern-reversal visual-evoked potentials in children with migraine and other primary headache: evidence for maturation disorder?, **108**, 267
Morphine
Involvement of GABAergic modulation of the nucleus submedius (Sm) morphine-induced antinociception, **108**, 28
Motor cortex
Graded motor imagery is effective for long-standing complex regional pain syndrome: a randomised controlled trial, **108**, 192
Multiple baseline design
Lowering fear-avoidance and enhancing function through exposure in vivo A multiple baseline study across six patients with back pain, **108**, 8
Multiple pulses
The effect of multiple stimuli on the modulation of the 'nociceptive' blink reflex, **108**, 124
Muscimol
Involvement of GABAergic modulation of the nucleus submedius (Sm) morphine-induced antinociception, **108**, 28
Musculoskeletal
Health status as measured by SF-36 reflects changes and predicts outcome in chronic musculoskeletal pain: a 3-year follow up study in the general population, **108**, 115
Naloxone
Involvement of GABAergic modulation of the nucleus submedius (Sm) morphine-induced antinociception, **108**, 28
Neurogenic extravasation
Substance P signaling contributes to the vascular and nociceptive abnormalities observed in a tibial fracture rat model of complex regional pain syndrome type I, **108**, 95
Neuropathic pain
Antiallodynic effects of intrathecally administered 5-HT$_{2C}$ receptor agonists in rats with nerve injury, **108**, 163
Neuropathic pain
Development and validation of the Neuropathic Pain Symptom Inventory, **108**, 248
Neuropathic pain
Some cases of severe post-mastectomy pain syndrome may be caused by an axillary haematoma, **108**, 294
Nociceptive blink reflex
The effect of multiple stimuli on the modulation of the 'nociceptive' blink reflex, **108**, 124
Opioid receptors
Central poststroke pain and reduced opioid receptor binding within pain processing circuitries: a [^{11}C]diprenorphine PET study, **108**, 213
Opioid receptors
Endogenous peripheral antinociception in early inflammation is not limited by the number of opioid-containing leukocytes but by opioid receptor expression, **108**, 67
Orofacial pain
Central representation of muscle pain and mechanical hyperesthesia in the orofacial region: a positron emission tomography study, **108**, 284
Oro-facial pain
Topical clonazepam in stomatodynia: a randomised placebo-controlled study, **108**, 51
Osteoporosis
Substance P signaling contributes to the vascular and nociceptive abnormalities observed in a tibial fracture rat model of complex regional pain syndrome type I, **108**, 95

Pain
Central poststroke pain and reduced opioid receptor binding within pain processing circuitries: a [^{11}C]diprenorphine PET study, **108**, 213
Pain
Health status as measured by SF-36 reflects changes and predicts outcome in chronic musculoskeletal pain: a 3-year follow up study in the general population, **108**, 115
Pain
Safety and efficacy of intranasal ketamine for the treatment of breakthrough pain in patients with chronic pain: a randomized, double-blind, placebo-controlled, crossover study, **108**, 17
Pain
Sex differences in pain perception and anxiety. A psychophysical study with topical capsaicin, **108**, 230
Pain assessment
Pain during mammography: the role of coping strategies, **108**, 170
Pain coping
Psychological factors in pelvic/urogenital pain: the influence of site of pain versus sex, **108**, 88
Pain development
Development of and recovery from long-term pain. A 6-year follow-up study of a cross-section of the adult Danish population, **108**, 154
Pain intensity
Effects of intensity and locus of painful stimulation on postural stability, **108**, 43
Pain locus
Effects of intensity and locus of painful stimulation on postural stability, **108**, 43
Pain recovery
Development of and recovery from long-term pain. A 6-year follow-up study of a cross-section of the adult Danish population, **108**, 154
Pain sensation
The cyclooxygenase isozyme inhibitors parecoxib and paracetamol reduce central hyperalgesia in humans, **108**, 148
Pain stimuli
Contribution of sensitized P2X receptors in inflamed tissue to the mechanical hypersensitivity revealed by phosphorylated ERK in DRG neurons, **108**, 258
Parents
Adolescent chronic pain: patterns and predictors of emotional distress in adolescents with chronic pain and their parents, **108**, 221
Patients judgment
Pain reducing effect of three types of transcutaneous electrical nerve stimulation in patients with chronic pain: a randomized crossover trial, **108**, 36
Pelvic pain
Psychological factors in pelvic/urogenital pain: the influence of site of pain versus sex, **108**, 88
Phosphorylation
Contribution of sensitized P2X receptors in inflamed tissue to the mechanical hypersensitivity revealed by phosphorylated ERK in DRG neurons, **108**, 258
Physical therapy
Graded motor imagery is effective for long-standing complex regional pain syndrome: a randomised controlled trial, **108**, 192
Placebo-controlled study
Topical clonazepam in stomatodynia: a randomised placebo-controlled study, **108**, 51
Plasticity
Central representation of muscle pain and mechanical hyperesthesia in the orofacial region: a positron emission tomography study, **108**, 284
PMN
Endogenous peripheral antinociception in early inflammation is not limited by the number of opioid-containing leukocytes but by opioid receptor expression, **108**, 67
Positron emission tomography
Central representation of muscle pain and mechanical hyperesthesia in the orofacial region: a positron emission tomography study, **108**, 284
Post-mastectomy pain syndrome
Some cases of severe post-mastectomy pain syndrome may be caused by an axillary haematoma, **108**, 294
Postural control
Effects of intensity and locus of painful stimulation on postural stability, **108**, 43
Primary headache
Pattern-reversal visual-evoked potentials in children with migraine and other primary headache: evidence for maturation disorder?, **108**, 267
Psychometric validation
Development and validation of the Neuropathic Pain Symptom Inventory, **108**, 248
Randomized controlled trial
Safety and efficacy of intranasal ketamine for the treatment of breakthrough pain in patients with chronic pain: a randomized, double-blind, placebo-controlled, crossover study, **108**, 17
Randomized trial
Pain reducing effect of three types of transcutaneous electrical nerve stimulation in patients with chronic pain: a randomized crossover trial, **108**, 36
Reflex sympathetic dystrophy
Graded motor imagery is effective for long-standing complex regional pain syndrome: a randomised controlled trial, **108**, 192
Risk factors
Development of and recovery from long-term pain. A 6-year follow-up study of a cross-section of the adult Danish population, **108**, 154
Self-questionnaire
Development and validation of the Neuropathic Pain Symptom Inventory, **108**, 248
Self-regulatory model
Using the self-regulatory model to cluster chronic pain patients: the first step towards identifying relevant treatments?, **108**, 276
Serotonin
Analgesic effect of amitriptyline in chronic tension-type headache is not directly related to serotonin reuptake inhibition, **108**, 108
Sex
Sex differences in pain perception and anxiety. A psychophysical study with topical capsaicin, **108**, 230
Sodium channel
Changes in the expression of tetrodotoxin-sensitive sodium channels within dorsal root ganglia neurons in inflammatory pain, **108**, 237
Spinal cord stimulation
Spinal cord stimulation for patients with failed back surgery syndrome or complex regional pain syndrome: a systematic review of effectiveness and complications, **108**, 137
Spinothalamic tract
Electrophysiological characterisations of rat lamina I dorsal horn neurones and the involvement of excitatory amino acid receptors, **108**, 76
Stomatodynia
Topical clonazepam in stomatodynia: a randomised placebo-controlled study, **108**, 51
Stroke
Central poststroke pain and reduced opioid receptor binding within pain processing circuitries: a [^{11}C]diprenorphine PET study, **108**, 213
Substance P
Substance P signaling contributes to the vascular and nociceptive abnormalities observed in a tibial fracture rat model of complex regional pain syndrome type I, **108**, 95
Systematic review
Spinal cord stimulation for patients with failed back surgery syndrome or complex regional pain syndrome: a systematic review of effectiveness and complications, **108**, 137

Tetrodotoxin-resistant-sensitive Na current
Changes in the expression of tetrodotoxin-sensitive sodium channels within dorsal root ganglia neurons in inflammatory pain, **108**, 237
Thalamic nucleus submedius
Involvement of GABAergic modulation of the nucleus submedius (Sm) morphine-induced antinociception, **108**, 28
Transcutaneous electrical nerve stimulation
Pain reducing effect of three types of transcutaneous electrical nerve stimulation in patients with chronic pain: a randomized crossover trial, **108**, 36
Visual-evoked potential
Pattern-reversal visual-evoked potentials in children with migraine and other primary headache: evidence for maturation disorder?, **108**, 267
Widespread
Health status as measured by SF-36 reflects changes and predicts outcome in chronic musculoskeletal pain: a 3-year follow up study in the general population, **108**, 115